

**MONTHLY NOTICES**  
**OF THE**  
**ROYAL ASTRONOMICAL SOCIETY**

**CONTAINING**  
**PAPERS PUBLISHED IN THE PERIOD**  
**1977 JANUARY TO MARCH**

**VOL. 178**

**EDITORIAL BOARD**

**DR D. H. P. JONES, ROYAL GREENWICH OBSERVATORY**  
**DR C. JORDAN, DEPARTMENT OF THEORETICAL PHYSICS, OXFORD**  
**DR M. S. LONGAIR, CAVENDISH LABORATORY, CAMBRIDGE**  
**PROFESSOR B. E. J. PAGEL, ROYAL GREENWICH OBSERVATORY**  
**DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE**  
**PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE**

**Published for the Royal Astronomical Society by**  
**Blackwell Scientific Publications**  
**Oxford London Edinburgh Melbourne**

# AUTHOR INDEX

	PAGE
<i>Allen, D. A., Boksenberg, A., Carswell, R. F., Fosbury, R. A. E., Penston, M. V. and Sargent, W. L. W.</i> , The remarkable Seyfert galaxy Markarian 231 . . . . .	451
<i>Andrews, P. J.</i> , HR 6392, a double star with very high luminosities . . . . .	131
<i>Baldwin, J. A.</i> , The Ly $\alpha$ /H $\beta$ intensity ratio in the spectra of QSOs . . . . .	67P
<i>Balona, L. A.</i> , Application of the method of maximum likelihood to the determination of cepheid radii . . . . .	231
<i>Bappu, M. K. V. and Sivaraman, K. P.</i> , K emission line widths in the Sun and the stars . . . . .	279
<i>Barnes, T. G., Dominy, J. F., Evans, D. S., Kelton, P. W., Parsons, S. B. and Stover, R. J.</i> , The distances of cepheid variables . . . . .	661
<i>Barrow, J. D.</i> , The synthesis of light elements in turbulent cosmologies . . . . .	625
<i>Bath, G. T.</i> , Symbiotic stars — a binary model with super-critical accretion . . . . .	203
<i>Beattie, D. H., Williams, P. M. and Stewart, J. M.</i> , Infrared photometry of R associations — I. Early-type stars in CMa R1 and Vel R2 . . . . .	619
<i>Bingham, R. G., Pallister, W. S., Perkins, H. G., Scarrott, S. M. and Pilkington, J. D. H.</i> , Optical polarization in the Orion Nebula . . . . .	93P
<i>Blackman, C. P.</i> , The rotation curves and mass distributions of the close pair of spiral galaxies NGC 935 and IC 1801 . . . . .	15
<i>Blake, G. M.</i> , The rate of change of $G$ . . . . .	41P
<i>Boksenberg, A.</i> (see Allen, D. A.)	
<i>Bromage, G. E. and Fawcett, B. C.</i> , The $2p^4-2p^3 3d$ transition array of Fe XIX and isoelectronic ions . . . . .	591
<i>Bromage, G. E. and Fawcett, B. C.</i> , The $2p^2-2p 3d$ transition array of Fe XXI and isoelectronic spectra . . . . .	605
<i>Bromage, G. E., Fawcett, B. C. and Cowan, R. D.</i> , Classification of $2s^2 2p^n-2s^2 2p^{n-1} 4d$ Fe XVIII and Fe XIX lines in laser-produced plasma and solar spectra . . . . .	599
<i>Brotten, N. W., Galt, J. A., Legg, T. H., Leparskas, H. J. A. and Yen, J. L.</i> , Long-baseline interferometer observations at 430 MHz . . . . .	301
<i>Brown, A., Kilkenny, D. and Hill, P. W.</i> , Photometry of faint blue stars — II. A second list of southern stars . . . . .	123
<i>Butler, C. J.</i> , Photoelectric sequences near the South Galactic Cluster NGC 3532 . . . . .	159
<i>Byrne, P. B. and Wayman, P. A.</i> , Optical flashes from burst X-ray sources? . . . . .	45P
<i>Bywater, A. R., Feast, M. W., Catchpole, R. M., Lloyd Evans, T., Robertson, B. S. C. and Dean, J. F.</i> , The RCB variables — VII. The infrared variability of RY Sgr . . . . .	415
<i>Carswell, R. F.</i> (see Allen, D. A.)	
<i>Carter, D.</i> , The optical extent of giant E and cD galaxies . . . . .	137
<i>Caswell, J. L. and Haynes, R. F.</i> , An OH survey on the 1720-MHz transition and comparisons with 1612, 1665 and 1667-MHz observations . . . . .	219
<i>Catchpole, R. M.</i> (see Bywater, A. R.)	
<i>Charles, P. A. and Culhane, J. L.</i> , The X-ray structure of supernova remnants — I. Cassiopeia A . . .	307
<i>Christiansen, W. N., Goss, W. M., Wellington, K. J., Lockhart, I. A., Watkinson, A., Frater, R. H. and Little, A. G.</i> , IC 4296: a double-double radio galaxy . . . . .	525
<i>Cohen, R. J.</i> , Neutral hydrogen in the galactic centre region — III. Absorption measurements . . .	547
<i>Cooke, J. A., Emerson, D., Nandy, K., Reddish, V. C. and Smith, M. G.</i> , Radial velocities of faint galaxies from objective prism plates . . . . .	687
<i>Cooke, J. A., Nandy, K., Reddish, V. C., Tritton, K. P. and Emerson, D.</i> , Low-dispersion objective prism spectra from the UK 1.2-m Schmidt telescope . . . . .	63P
<i>Cottrell, G. A.</i> , 21-cm observations of the interacting galaxies M81 and M82 . . . . .	577
<i>Cowan, R. D.</i> (see Bromage, G. E.)	
<i>Culhane, J. L. and Charles, P. A.</i> , The X-ray structure of supernova remnants — I. Cassiopeia A . . .	307
<i>Culhane, J. L. and Mitchell, R. J.</i> , Detection of iron line emission in the <i>Ariel V</i> X-ray spectrum of the Centaurus cluster of galaxies . . . . .	75P
<i>Culhane, J. L. and Zarnecki, J. C.</i> , Detection of O VIII line emission in the X-ray spectrum of Puppis A . . . . .	57P
<i>Davies, R. D., Pedlar, A. and Hart, L.</i> , 252 $\alpha$ recombination-line emission from the direction of the Galactic Centre . . . . .	37P
<i>Davis, J. and Shobbrook, R. R.</i> , On <i>uvby</i> indices and empirical effective temperatures and bolometric corrections for B stars . . . . .	651
<i>Davison, P. J. N. and Fabian, A. C.</i> , <i>Copernicus</i> and <i>Ariel V</i> observations of Hercules X-1 . . . . .	1P



<i>Davison, P. J. N. and Morrison, L. V.</i> , A lunar occultation position for GX9+1 . . . . .	53P
<i>Dawe, J. A., Dickens, R. J. and Peterson, B. A.</i> , Redshifts of galaxies in the cluster HMS1247 – 4102 in Centaurus . . . . .	675
<i>Day, K. L.</i> , Irradiation of magnesium silicates with MeV protons. . . . .	49P
<i>Dean, J. F.</i> (see Bywater, A. R.)	
<i>Dickens, R. J. and Moss, C.</i> , Redshifts of galaxies in the cluster Abell 262, and in the region of the Pisces group (centred on NGC 383). . . . .	701
<i>Dickens, R. J.</i> (see Dawe, J. A.)	
<i>Dodd, R. J. and Hilditch, R. W.</i> , New photoelectric sequences in Puppis ( $l = 250^\circ$ , $b = 0^\circ$ ) . . . . .	467
<i>Dominy, J. F.</i> (see Barnes, T. G.)	
<i>Domogatsky, G. V. and Nadyozhin, D. K.</i> , Neutrino induced production of bypassed elements . . .	33P
<i>Emerson, D.</i> (see Cooke, J. A.)	
<i>Evans, D. D., Pye, J. P. and Hutcheon, R. J.</i> , The coronal emission line spectrum 13.3 to 13.8 Å . .	611
<i>Evans, D. S.</i> (see Barnes, T. G.)	
<i>Evans, D. S., Moffett, T. J. and Ferland, G.</i> , Variations of the H $\beta$ -emission line during a large flare on UV Ceti. . . . .	149
<i>Fabian, A. C. and Davison, P. J. N.</i> , <i>Copernicus</i> and <i>Ariel V</i> observations of Hercules X-1. . . . .	1P
<i>Fabian, A. C., Masters, A. R., Pringle, J. E. and Rees, M. J.</i> , Cyclotron emission from accreting magnetic white dwarfs . . . . .	501
<i>Fawcett, B. C.</i> (see Bromage, G. E.)	
<i>Fawcett, B. C. and Bromage, G. E.</i> , The $2p^4-2p^3 3d$ transition array of Fe XIX and isoelectronic ions. . . . .	591
<i>Fawcett, B. C. and Bromage, G. E.</i> , The $2p^2-2p 3d$ transition array of Fe XXI and isoelectronic spectra . . . . .	605
<i>Feast, M. W.</i> (see Bywater, A. R.)	
<i>Ferland, G.</i> (see Evans, D. S.)	
<i>Fosbury, R. A. E.</i> (see Allen, D. A.)	
<i>Fosbury, R. A. E. and Hawarden, T. G.</i> , A0035 'the cartwheel' a large southern ring galaxy . . . . .	473
<i>Frater, R. H.</i> (see Christiansen, W. N.)	
<i>Galt, J. A.</i> (see Broten, N. W.)	
<i>Gingold, R. A.</i> , Evolutionary models of metal-rich horizontal branch stars . . . . .	533
<i>Gingold, R. A.</i> , Helium shell flashes as a source of helium enrichment. . . . .	569
<i>Glass, I. S.</i> , A dusty star in the Small Magellanic Cloud . . . . .	9P
<i>Gopal-Krishna and Joshi, M. N.</i> , Lunar occultation observations of twelve 3C sources at 327 MHz. .	717
<i>Gopal-Krishna and Swarup, G.</i> , Spectra of compact and extended components of powerful extra-galactic radio sources. . . . .	265
<i>Goss, W. M.</i> (see Christiansen, W. N.)	
<i>Griffiths, R. E., Murdin, P., Pounds, K. A., Watson, M. G. and Longmore, A. J.</i> , Optical identifications of the transient X-ray source A1524 – 61. . . . .	27P
<i>Griffiths, R. E. and Watson, M. G.</i> , <i>Ariel V</i> Sky Survey Instrument: extended observations of 3U 0900 – 40 . . . . .	513
<i>Hart, L.</i> (see Davies, R. D.)	
<i>Hawarden, T. G. and Fosbury, R. A. E.</i> , A0035 'the cartwheel' a large southern ring galaxy . . . . .	473
<i>Haynes, R. F. and Caswell, J. L.</i> , An OH survey on the 1720-MHz transition and comparisons with 1612, 1665 and 1667-MHz observations. . . . .	219
<i>Hilditch, R. W. and Dodd, R. J.</i> , New photoelectric sequences in Puppis ( $l = 250^\circ$ , $b = 0^\circ$ ) . . . . .	467
<i>Hill, P. W.</i> (see Brown, A.)	
<i>Hutcheon, R. J.</i> (see Evans, K. D.)	
<i>Johansson, S.</i> , New Fe II identifications in the infrared spectrum of Eta Carinae . . . . .	17P
<i>Johri, V. B.</i> , Shear in an expanding universe. . . . .	395
<i>Jones, P. B.</i> , Pulsar magnetic alignment: a classification of pulsars . . . . .	87P
<i>Joshi, M. N. and Gopal-Krishna</i> , Lunar occultation observations of twelve 3C sources at 327 MHz. .	717
<i>Kaftan-Kassim, M. A. and Sistla, G.</i> , Extinction and radio structure of IC 2149 . . . . .	325
<i>Kelton, P. W.</i> (see Barnes, T. G.)	
<i>Kilambi, G. C.</i> , Broad-band photometry of NGC 6530. . . . .	423
<i>Kilkenny, D.</i> , Photometry of faint blue stars – III. H $\beta$ photometry of some southern stars. . . . .	369
<i>Kilkenny, D.</i> (see Brown, A.)	
<i>Legg, T. H.</i> (see Broten, N. W.)	

	PAGE
<i>Leibowitz, E. M.</i> , The reddening of the optical radiation from $\eta$ Carinae . . . . .	271
<i>Leparskas, H. J. A.</i> (see Broten, N. W.)	
<i>Little, A. G.</i> (see Christiansen, W. N.)	
<i>Lloyd Evans, T.</i> , Near infrared photometry of globular clusters – V. Structure on the giant branch of $\omega$ Centauri . . . . .	345
<i>Lloyd Evans, T.</i> , Near infrared photometry of globular clusters – VI. The moderately metal-poor cluster NGC 6121 (M4). . . . .	353
<i>Lloyd Evans, T.</i> (see Bywater, A. R.)	
<i>Lloyd Evans, T. and Menzies, J. W.</i> , Near infrared photometry of globular clusters – III. The metal-rich clusters. . . . .	163
<i>Lockhart, I. A.</i> (see Christiansen, W. N.)	
<i>Longmore, A. J.</i> , New and known planetary nebulae on plates taken with the UK 1.2-mSchmidt telescope. . . . .	251
<i>Longmore, A. J.</i> (see Griffiths, R. E.)	
<i>McIvor, I.</i> , The inertial range of weak magnetohydrodynamic turbulence in the interstellar medium . . . . .	85
<i>Madore, B. F.</i> , Numerical simulations of the rate of star formation in external galaxies . . . . .	1
<i>Madore, B. F.</i> , The frequency of Cepheids with companions: a photoelectric approach . . . . .	505
<i>Martin, P. G.</i> , The nucleus of the Seyfert galaxy NGC 1275 . . . . .	379
<i>Mason, K. O.</i> , Secular period changes in X-ray pulsators. . . . .	81P
<i>Master, A. R.</i> (see Fabian, A. C.)	
<i>Mendez, R. H. and Niemela, V. S.</i> , The central star of NGC 1360: a spectroscopic binary within a planetary nebula . . . . .	409
<i>Menzies, J. W. and Lloyd Evans, T.</i> , Near infrared photometry of globular clusters – III. The metal rich clusters . . . . .	163
<i>Mestel, L. and Moss, D. L.</i> , Models of rotating magnetic stars . . . . .	27
<i>Mitchell, R. J. and Culhane, J. L.</i> , Detection of iron line emission in the <i>Ariel V</i> X-ray spectrum of the Centaurus cluster of galaxies . . . . .	75P
<i>Moffett, T. J.</i> (see Evans, D. S.)	
<i>Morrison, L. V. and Davison, P. J. N.</i> , A lunar occultation position for GX9+1 . . . . .	53P
<i>Moss, C. and Dickens, R. J.</i> , Redshifts of galaxies in the cluster Abell 262, and in the region of the Pisces group (centred on NGC 383). . . . .	701
<i>Moss, D.</i> , Magnetic star models: toroidal fields and circulation . . . . .	51
<i>Moss, D.</i> , A kinematic mechanism for the oblique rotator model of magnetic stars. . . . .	61
<i>Moss, D. L. and Mestel, L.</i> , Models of rotating magnetic stars. . . . .	27
<i>Murdin, P.</i> (see Griffiths, R. E.)	
<i>Mushotzky, R. F., Paciasas, W. S. and Pelling, R. M.</i> , High-energy X-ray observations of NGC 4151 with a balloon-borne telescope . . . . .	23P
<i>Nadyozhin, D. K. and Domogatsky, G. V.</i> , Neutrino induced production of bypassed elements . . . . .	33P
<i>Nandy, K.</i> (see Cooke, J. A.)	
<i>Netzer, H.</i> , Physical conditions in active nuclei – IV. The role of inelastic collisions. . . . .	489
<i>Niemela, V. S. and Mendez, R. H.</i> , The central star of NGC 1360: a spectroscopic binary within a planetary nebula . . . . .	409
<i>Paciasas, W. S.</i> (see Mushotzky, R. F.)	
<i>Pallister, W. S.</i> (see Bingham, R. G.)	
<i>Parsons, S. B.</i> (see Barnes, T. G.)	
<i>Pedlar, A.</i> (see Davies, R. D.)	
<i>Pelling, M.</i> , Main line maser emission in the OH ground state $\Lambda$ -doublet as a result of overlapping far infrared transitions . . . . .	441
<i>Pelling, R. M.</i> (see Mushotzky, R. F.)	
<i>Penston, M. V.</i> (see Allen, D. A.)	
<i>Perkins, H. G.</i> (see Bingham, R. G.)	
<i>Peterson, B. A.</i> (see Dawe, J. A.)	
<i>Pilkington, J. D. H.</i> (see Bingham, R. G.)	
<i>Pounds, K. A.</i> (see Griffiths, R. E.)	
<i>Pringle, J. E.</i> , Soft X-ray emission from dwarf novae. . . . .	195
<i>Pringle, J. E.</i> (see Fabian, A. C.)	
<i>Przybylski, A.</i> , Is iron present in the atmosphere of HD 101065? . . . . .	71
<i>Przybylski, A.</i> , The effective temperature and electron pressure in the atmosphere of HD 101065. . . . .	735



<i>Pye, J. P. (see Evans, K. D.)</i>	
<i>Read, P. L.,</i> Measurements of the flux density of Cas A and confirmation of an anomaly at 38 MHz.	259
<i>Reddish, V. C. (see Cooke, J. A.)</i>	
<i>Rees, M. J. (see Fabian, A. C.)</i>	
<i>Robertson, B. S. C. (see Bywater, A. R.)</i>	
<i>Ryle, M. and Scott, P. F.,</i> A rapid method for measuring the figure of a radio telescope reflector . .	539
<i>Sargent, W. L. W. (see Allen, D. A.)</i>	
<i>Scarrott, S. M. (see Bingham, R. G.)</i>	
<i>Schwartz, S. J.,</i> Cosmic ray generated anisotropic magnetohydrodynamic turbulence . . . . .	399
<i>Scott, M. A.,</i> Energy supply and pressure balance in extragalactic radio sources . . . . .	329
<i>Scott, P. F. and Ryle, M.,</i> A rapid method for measuring the figure of a radio telescope reflector . .	539
<i>Shobbrook, R. R. and Davis, J.,</i> On <i>u</i> -by indices and empirical effective temperatures and bolometric corrections for B stars . . . . .	651
<i>Sistla, G. and Kaftan-Kassim, M. A.,</i> Extinction and radio structure of IC 2149 . . . . .	325
<i>Sivaraman, K. P. and Bappu, M. K. V.,</i> K emission line widths in the Sun and the stars . . . . .	279
<i>Smith, M. G. (see Cooke, J. A.)</i>	
<i>Stewart, J. M. (see Beattie, D. H.)</i>	
<i>Stift, M. J.,</i> On a possible indication of magnetic deformation in $\beta$ CrB . . . . .	11
<i>Stover, R. J. (see Barnes, T. C.)</i>	
<i>Summers, H. P.,</i> The recombination and level populations of ions – II. Resolution of angular momentum states . . . . .	101
<i>Swarup, G. and Gopal-Krishna,</i> Spectra of compact and extended components of powerful extragalactic radio sources . . . . .	265
<i>Trimble, V.,</i> On the incidence of close binary stars in globular clusters and the nature of the cluster X-ray sources . . . . .	335
<i>Tritton, K. P. (see Cooke, J. A.)</i>	
<i>Vettolani, G. and Zamorani, Distribution of supernovae, supernova remnants and exponential disks . . . . .</i>	693
<i>Walker, A. R.,</i> Spectrophotometry of RR Telescopii . . . . .	245
<i>Warren, P. R.,</i> GU Nor and NGC 6067 . . . . .	21P
<i>Watkinson, A. (see Christiansen, W. N.)</i>	
<i>Watson, M. G. (see Griffiths, R. E.)</i>	
<i>Watson, M. G. and Griffiths, R. E.,</i> Ariel V Sky Survey Instrument: extended observations of 3U 0900 – 40 . . . . .	513
<i>Wayman, P. A. and Byrne, P. B.,</i> Optical flashes from burst X-ray sources? . . . . .	45P
<i>Wellington, K. J. (see Christiansen, W. N.)</i>	
<i>Whelan, J. A. J. and Wickramasinghe, D. T.,</i> The discovery of hydrogen in a DB white dwarf. . . .	11P
<i>Wickramasinghe, D. T. and Whelan, J. A. J.,</i> The discovery of hydrogen in a DB white dwarf. . . .	11P
<i>Williams, P. M. (see Beattie, D. H.)</i>	
<i>Wing, R. F. and Yorka, S. B.,</i> The brightest S-type stars in the infrared . . . . .	383
<i>Yabushita, S.,</i> On the formation of galactic binary systems by tidal encounters . . . . .	289
<i>Yen, J. L. (see Broten, N. W.)</i>	
<i>Yorka, S. B. and Wing, R. F.,</i> The brightest S-type stars in the infrared . . . . .	383
<i>Zamorani, G. and Vettolani, G.,</i> Distribution of supernovae, supernova remnants and exponential disks . . . . .	693
<i>Zarnecki, J. C. and Culhane, J. D.,</i> Detection of O VIII line emission in the X-ray spectrum of Puppis A . . . . .	57P

## SUBJECT INDEX

## Abundances of the elements

The synthesis of light elements in turbulent cosmologies, <i>John D. Barrow</i> . . . . .	625
Neutrino induced production of bypassed elements, <i>G. V. Domogatsky and D. K. Nadyozhin</i> . . . .	33P

## Cosmic rays

Cosmic ray generated anisotropic magnetohydrodynamic turbulence, <i>Steven J. Schwartz.</i> . . . .	399
---	-----

## Cosmology

Shear in an expanding universe, <i>Vinod B. Johri</i> . . . . .	395
The synthesis of light elements in turbulent cosmologies, <i>John D. Barrow</i> . . . . .	625
The rate of change of $G$ , <i>G. M. Blake</i> . . . . .	41P

## Galactic centre

Neutral hydrogen in the galactic centre region – III. Absorption measurements, <i>R. J. Cohen</i> . . . . .	547
252 $\alpha$ recombination-line emission from the direction of the Galactic Centre, <i>A. Pedlar, R. D. Davies and L. Hart</i> . . . . .	37P

## Galactic structure and stellar dynamics

On the formation of galactic binary systems by tidal encounters, <i>S. Yabushita</i> . . . . .	289
Distribution of supernovae, supernova remnants and exponential disks, <i>G. Vettolani and G. Zamorani</i> . . . . .	693

## Galaxies

Numerical simulations of the rate of star formation in external galaxies, <i>Barry F. Madore</i> . . . . .	1
The rotation curves and mass distributions of the close pair of spiral galaxies NGC 935 and IC 1801, <i>C. P. Blackman</i> . . . . .	15
The optical extent of giant E and cD galaxies, <i>David Carter</i> . . . . .	137
On the formation of galactic binary systems by tidal encounters, <i>S. Yabushita</i> . . . . .	289
The nucleus of the Seyfert galaxy NGC 1275, <i>P. G. Martin</i> . . . . .	379
The remarkable Seyfert galaxy Markarian 231, <i>A. Boksenberg, R. F. Carswell, D. A. Allen, R. A. E. Fosbury, M. V. Penston and W. L. W. Sargent</i> . . . . .	451
A0035 'the cartwheel' a large southern ring galaxy, <i>R. A. E. Fosbury and T. G. Hawarden</i> . . . . .	473
Physical conditions in active nuclei – IV. The role of inelastic collisions, <i>H. Netzer</i> . . . . .	489
IC 4296: a double-double radio galaxy, <i>W. M. Goss, K. J. Wellington, W. N. Christiansen, I. A. Lockhart, A. Watkinson, R. H. Frater and A. G. Little</i> . . . . .	525
21-cm observations of the interacting galaxies M81 and M82, <i>Geoffrey A. Cottrell</i> . . . . .	577
Redshifts of galaxies in the cluster HMS 1247 – 4102 in Centaurus, <i>J. A. Dawe, R. J. Dickens and B. A. Peterson</i> . . . . .	675
Radial velocities of faint galaxies from objective prism plates, <i>J. A. Cooke, D. Emerson, K. Nandy, V. C. Reddish and M. G. Smith</i> . . . . .	687
Redshifts of galaxies in the cluster Abell 262, and in the region of the Pisces group (centred on NGC 383), <i>C. Moss and R. J. Dickens</i> . . . . .	701
High-energy X-ray observations of NGC 4151 with a balloon-borne telescope, <i>W. S. Paciesas, R. F. Mushotzky and R. M. Pelling</i> . . . . .	23P
Detection of iron line emission in the <i>Ariel V</i> X-ray spectrum of the Centaurus cluster of galaxies, <i>R. J. Mitchell and J. L. Culhane</i> . . . . .	75P

## Infrared astronomy

The brightest S-type stars in the infrared, <i>Robert F. Wing and Sandra B. Yorke</i> . . . . .	383
The RCB variables – VII. The infrared variability of RY Sgr, <i>M. W. Feast, R. M. Catchpole, T. Lloyd Evans, B. S. C. Robertson, F. F. Dean and A. R. Bywater</i> . . . . .	415
Infrared photometry of R associations – I. Early type stars in CMa R1 and Vel R2, <i>P. M. Williams, D. H. Beattie and J. M. Stewart</i> . . . . .	619
New Fe II identifications in the infrared spectrum of Eta Carinae, <i>Sveneric Johansson</i> . . . . .	17P

## Instruments and techniques

A rapid method for measuring the figure of a radio telescope reflector, <i>P. F. Scott and M. Ryle</i> . . . . .	539
Low-dispersion objective prism spectra from the UK 1.2-m Schmidt telescope, <i>K. Nandy, V. C. Reddish, K. P. Tritton, J. A. Cooke and D. Emerson</i> . . . . .	63P



**Interstellar medium**

Numerical simulations of the rate of star formation in external galaxies, <i>Barry F. Madore</i> . . . . .	1
The inertial range of weak magnetohydrodynamic turbulence in the interstellar medium, <i>I. McIvor</i> . . . . .	85
An OH survey on the 1720-MHz transition and comparisons with 1612, 1665 and 1667-MHz observations, <i>R. F. Haynes and J. L. Caswell</i> . . . . .	219
Cosmic ray generated anisotropic magnetohydrodynamic turbulence, <i>Steven J. Schwartz</i> . . . . .	399
Main line maser emission in the OH ground state $\Lambda$ -doublet as a result of overlapping far infrared transitions, <i>Margaret Pelling</i> . . . . .	441
Irradiation of magnesium silicates with MeV protons, <i>Kenrick L. Day</i> . . . . .	49P

**Magellanic clouds**

A dusty star in the Small Magellanic Cloud, <i>I. S. Glass</i> . . . . .	9P
--	----

**Nebulae — gaseous**

Measurements of the flux density of Cas A and confirmation of an anomaly at 38 MHz, <i>P. L. Read</i> . . . . .	259
The X-ray structure of supernova remnants — I. Cassiopeia A, <i>P. A. Charles and J. L. Culhane</i> . . . . .	307
Distribution of supernovae, supernova remnants and exponential disks, <i>G. Vettolani and G. Zamorani</i> . . . . .	693
Detection of O VIII line emission in the X-ray spectrum of Puppis A, <i>J. C. Zarnecki and J. L. Culhane</i> . . . . .	57P
Optical polarization in the Orion Nebula, <i>W. S. Pallister, H. G. Perkins, S. M. Scarrott, R. G. Bingham and J. D. H. Pilkington</i> . . . . .	93P

**Nebulae — planetary**

New and known planetary nebulae on plates taken with the UK 1.2-m Schmidt telescope, <i>A. J. Longmore</i> . . . . .	251
Extinction and radio structure of IC 2149, <i>Gopal Sistla and May A. Kaftan-Kassim</i> . . . . .	325
The central star of NGC 1360: a spectroscopic binary within a planetary nebula, <i>Roberto H. Mendez and Virpi S. Niemela</i> . . . . .	409

**Occultations**

Lunar occultation observations of twelve 3C sources at 327 MHz, <i>Mohan N. Joshi and Gopal-Krishna</i> . . . . .	717
A lunar occultation position for GX9 +1, <i>P. J. N. Davison and L. V. Morrison</i> . . . . .	53P

**Physical processes**

The inertial range of weak magnetohydrodynamic turbulence in the interstellar medium, <i>I. McIvor</i> . . . . .	85
The recombination and level populations of ions — II. Resolution of angular momentum states, <i>Hugh P. Summers</i> . . . . .	101
Soft X-ray emission from dwarf novae, <i>J. E. Pringle</i> . . . . .	195
Symbiotic stars — a binary model with super-critical accretion, <i>G. T. Bath</i> . . . . .	203
Energy supply and pressure balance in extragalactic radio sources, <i>M. A. Scott</i> . . . . .	329
Cosmic ray generated anisotropic magnetohydrodynamic turbulence, <i>Steven J. Schwartz</i> . . . . .	399
Physical conditions in active nuclei — IV. The role of inelastic collisions, <i>H. Netzer</i> . . . . .	489
Cyclotron emission from accreting magnetic white dwarfs, <i>A. R. Masters, J. E. Pringle, A. C. Fabian and M. J. Rees</i> . . . . .	501
Neutrino induced production of bypassed elements, <i>G. V. Domogatsky and D. K. Nadyozhin</i> . . . . .	33P
The rate of change of <i>G</i> , <i>G. M. Blake</i> . . . . .	41P
Optical flashes from burst X-ray sources?, <i>P. B. Byrne and P. A. Wayman</i> . . . . .	45P
Irradiation of magnesium silicates with MeV protons, <i>Kenrick L. Day</i> . . . . .	49P

**Polarization**

- Optical polarization in the Orion Nebula, *W. S. Pallister, H. G. Perkins, S. M. Scarrott, R. G. Bingham and J. D. H. Pilkington* . . . . . 93P

**Pulsars**

- Pulsar magnetic alignment: a classification of pulsars, *P. B. Jones* . . . . . 87P

**Quasars**

- Spectra of compact and extended components of powerful extragalactic radio sources, *Gopal-Krishna and G. Swarup* . . . . . 265
- The  $\text{Ly}\alpha/\text{H}\beta$  intensity ratio in the spectra of QSOs, *Jack A. Baldwin* . . . . . 67P

**Radio astronomy**

- An OH survey on the 1720-MHz transition and comparisons with 1612, 1665 and 1667-MHz observations, *R. F. Haynes and J. L. Caswell* . . . . . 219
- Measurements of the flux density of Cas A and confirmation of an anomaly at 38 MHz, *P. L. Read* . . . . . 259
- Spectra of compact and extended components of powerful extragalactic radio sources, *Gopal-Krishna and G. Swarup* . . . . . 265
- Long-baseline interferometer observations at 430 MHz, *J. A. Galt, N. W. Broten, T. H. Legg, H. J. A. Leparskas and J. L. Yen* . . . . . 301
- Extinction and radio structure of IC 2149, *Gopal Sistla and May A. Kaftan-Kassim* . . . . . 325
- Energy supply and pressure balance in extragalactic radio sources, *M. A. Scott* . . . . . 329
- Main line maser emission in the OH ground state  $\Lambda$ -doublet as a result of overlapping far infrared transitions, *Margaret Pelling* . . . . . 441
- IC 4296: a double-double radio galaxy *W. M. Goss, K. J. Wellington, W. N. Christiansen, I. A. Lockhart, A. Watkinson, R. H. Frater and A. G. Little* . . . . . 525
- A rapid method for measuring the figure of a radio telescope reflector, *P. F. Scott and M. Ryle* . . . 539
- Neutral hydrogen in the galactic centre region – III. Absorption measurements, *R. J. Cohen* . . . . 547
- 21-cm observations of the interacting galaxies M81 and M82, *Geoffrey A. Cottrell* . . . . . 577
- Lunar occultation observations of twelve 3C sources at 327 MHz, *Mohan N. Joshi and Gopal-Krishna* . . . . . 717
- 252 $\alpha$  recombination-line emission from the direction of the Galactic Centre, *A. Pedlar, R. D. Davies and L. Hart* . . . . . 37P

**Spectroscopy**

- The recombination and level populations of ions – II. Resolution of angular momentum states, *Hugh P. Summers* . . . . . 101
- Main line maser emission in the OH ground state  $\Lambda$ -doublet as a result of overlapping far infrared transitions, *Margaret Pelling* . . . . . 441
- The  $2p^4$ – $2p^3 3d$  transition array of Fe XIX and isoelectronic ions, *G. E. Bromage and B. C. Fawcett* . . . . . 591
- Classification of  $2s^2 2p^n$ – $2s^2 2p^{n-1} 4d$  Fe XVIII and Fe XIX lines in laser-produced plasma and solar spectra, *G. E. Bromage, B. C. Fawcett and R. D. Cowan* . . . . . 599
- The  $2p^2$ – $2p 3d$  transition array of Fe XXI and isoelectronic spectra, *G. E. Bromage and B. C. Fawcett* . . . . . 605
- Low-dispersion objective prism spectra from the UK 1.2-m Schmidt telescope, *K. Nandy, V. C. Reddish, K. P. Tritton, J. A. Cooke and D. Emerson* . . . . . 63P

**Stars**

- Numerical simulations of the rate of star formation in external galaxies, *Barry F. Madore* . . . . . 1



**Stars – atmospheres of**

Is iron present in the atmosphere of HD 101065?, <i>A. Przybylski</i> . . . . .	71
The effective temperature and electron pressure in the atmosphere of HD 101065, <i>A. Przybylski</i> . . . . .	735

**Stars – binary**

HR 6392: a double star with very high luminosities, <i>P. J. Andrews</i> . . . . .	131
Soft X-ray emission from dwarf novae, <i>J. E. Pringle</i> . . . . .	195
Symbiotic stars – a binary model with super-critical accretion, <i>G. T. Bath</i> . . . . .	203
On the incidence of close binary stars in globular clusters and the nature of the cluster X-ray sources, <i>Virginia Trimble</i> . . . . .	335
The central star of NGC 1360: a spectroscopic binary within a planetary nebula, <i>Roberto H. Mendez and Virpi S. Niemela</i> . . . . .	409
The frequency of Cepheids with companions: a photoelectric approach, <i>Barry F. Madore</i> . . . . .	505

**Stars – chemical composition of**

Is iron present in the atmosphere of HD 101065?, <i>A. Przybylski</i> . . . . .	71
Helium shell flashes as a source of helium enrichment, <i>Robert A. Gingold</i> . . . . .	569
The discovery of hydrogen in a DB white dwarf, <i>D. T. Wickramasinghe and J. A. J. Whelan</i> . . . . .	11P

**Stars – clusters of**

Photoelectric sequences near the South Galactic Cluster NGC 3532, <i>C. J. Butler</i> . . . . .	159
Near infrared photometry of globular clusters – III. The metal-rich clusters, <i>T. Lloyd Evans and J. W. Menzies</i> . . . . .	163
On the incidence of close binary stars in globular clusters and the nature of the cluster X-ray sources, <i>Virginia Trimble</i> . . . . .	335
Near infrared photometry of globular clusters – V. Structure on the giant branch of $\omega$ Centauri, <i>T. Lloyd Evans</i> . . . . .	345
Near infrared photometry of globular clusters – VI. The moderately metal-poor cluster NGC 6121 (M4), <i>T. Lloyd Evans</i> . . . . .	353
Broad-band photometry of NGC 6530, <i>Gopal C. Kilambi</i> . . . . .	423
GU Nor and NGC 6067, <i>P. R. Warren</i> . . . . .	21P

**Stars – magnetic fields in**

On a possible indication of magnetic deformation in $\beta$ CrB, <i>M. J. Stift</i> . . . . .	11
Models of rotating magnetic stars, <i>L. Mestel and D. L. Moss</i> . . . . .	27
Magnetic star models: toroidal fields and circulation, <i>David Moss</i> . . . . .	51
A kinematic mechanism for the oblique rotator model of magnetic stars, <i>David Moss</i> . . . . .	61
Cyclotron emission from accreting magnetic white dwarfs, <i>A. R. Masters, J. E. Pringle, A. C. Fabian and M. J. Rees</i> . . . . .	501

**Stars – photometry of**

Photometry of faint blue stars – II. A second list of southern stars, <i>D. Kilkenny, P. W. Hill and A. Brown</i> . . . . .	123
Photoelectric sequences near the South Galactic Cluster NGC 3532, <i>C. J. Butler</i> . . . . .	159
Near infrared photometry of globular clusters – III. The metal-rich clusters, <i>T. Lloyd Evans and J. W. Menzies</i> . . . . .	163
Spectrophotometry of RR Telescopii, <i>A. R. Walker</i> . . . . .	245
Near infrared photometry of globular clusters – V. Structure on the giant branch of $\omega$ Centauri, <i>T. Lloyd Evans</i> . . . . .	345
Near infrared photometry of globular clusters – VI. The moderately metal-poor cluster NGC 6121 (M4), <i>T. Lloyd Evans</i> . . . . .	353
Photometry of faint blue stars – III. H $\beta$ photometry of some southern stars, <i>D. Kilkenny</i> . . . . .	369

Broad-band photometry of NGC 6530, <i>Gopal C. Kilambi</i> . . . . .	423
New photoelectric sequences in Puppis ( $l = 250^\circ$ , $b = 0^\circ$ ), <i>R. W. Hilditch and R. J. Dodd</i> . . . . .	467
The frequency of Cepheids with companions: a photoelectric approach, <i>Barry F. Madore</i> . . . . .	505
Infrared photometry of R associations – I. Early type stars in CMa R1 and Vel R2, <i>P. M. Williams, D. H. Beattie and J. M. Stewart</i> . . . . .	619
On <i>uvby</i> indices and empirical effective temperatures and bolometric corrections for B stars, <i>John Davis and R. R. Shobbrook</i> . . . . .	651

### Stars – spectroscopy of

K emission line widths in the Sun and the stars, <i>M. K. V. Bappu and K. R. Sivaraman</i> . . . . .	279
New Fe II identifications in the infrared spectrum of Eta Carinae, <i>Sveneric Johansson</i> . . . . .	17P

### Stars – structure and evolution of

Evolutionary models of metal-rich horizontal branch stars, <i>Robert A. Gingold</i> . . . . .	533
Helium shell flashes as a source of helium enrichment, <i>Robert A. Gingold</i> . . . . .	569

### Stars – variable

Variations of the H $\beta$ -emission line during a large flare on UV Ceti, <i>Thomas J. Moffet, David S. Evans and Gary Ferland</i> . . . . .	149
Soft X-ray emission from dwarf novae, <i>J. E. Pringle</i> . . . . .	195
Application of the method of maximum likelihood to the determination of cepheid radii, <i>L. A. Balona</i> . . . . .	231
Spectrophotometry of RR Telescopii, <i>A. R. Walker</i> . . . . .	245
The reddening of the optical radiation from $\eta$ Carinae, <i>Elia M. Leibowitz</i> . . . . .	271
The RCB variables – VII. The infrared variability of RY Sgr, <i>M. W. Feast, R. M. Catchpole, T. Lloyd Evans, B. S. C. Robertson, F. F. Dean and A. R. Bywater</i> . . . . .	415
The frequency of Cepheids with companions: a photoelectric approach, <i>Barry F. Madore</i> . . . . .	505
The distances of cepheid variables, <i>Thomas G. Barnes, James F. Dominy, David D. Evans, Phillip W. Kelton, S. B. Parsons and Richard J. Stover</i> . . . . .	661
Distribution of supernovae, supernova remnants and exponential disks, <i>G. Vettolani and G. Zamorani</i> . . . . .	693
New Fe II identifications in the infrared spectrum of Eta Carinae, <i>Sveneric Johansson</i> . . . . .	17P

### Sun

K emission line widths in the Sun and the stars, <i>M. K. V. Bappu and K. P. Sivaraman</i> . . . . .	279
Classification of $2s^2 2p^n - 2s^2 2p^{n-1} 4d$ Fe XVIII and Fe XIX lines in laser-produced plasma and solar spectra, <i>G. E. Bromage, B. C. Fawcett and R. D. Cowan</i> . . . . .	599
The coronal emission line spectrum 13.3 to 13.8 Å, <i>J. P. Pye, Kenton D. Evans and R. J. Hutcheon</i> . . . . .	611

### X-ray astronomy

Soft X-ray emission from dwarf novae, <i>J. E. Pringle</i> . . . . .	195
The X-ray structure of supernova remnants – I. Cassiopeia A, <i>P. A. Charles and J. L. Culhane</i> . . . . .	307
On the incidence of close binary stars in globular clusters and the nature of the cluster X-ray sources, <i>Virginia Trimble</i> . . . . .	335
Ariel V Sky Survey Instrument: extended observations of 3U 0900 – 40, <i>M. G. Watson and R. E. Griffiths</i> . . . . .	513
The coronal emission line spectrum 13.3 to 13.8 Å, <i>J. P. Pye, Kenton D. Evans and R. J. Hutcheon</i> . . . . .	611
Copernicus and Ariel V observations of Hercules X-1, <i>P. J. N. Davison and A. C. Fabian</i> . . . . .	1P
High-energy X-ray observations of NGC 4151 with a balloon-borne telescope, <i>W. S. Paciesas, R. F. Mushotzky and R. M. Pelling</i> . . . . .	23P









## MONTHLY NOTICES: NOTICE TO AUTHORS

**1 GENERAL.** All papers communicated for publication in *Monthly Notices* or *Memoirs* are submitted to the scrutiny of referees. There is no page charge for publication in *Monthly Notices* but there is usually a charge of £20.00 a page for papers published in *Memoirs*. The Society holds the copyright of all pages published in its Journals.

**2 PREPARATION OF PAPERS.** Authors are allowed considerable latitude, but they are requested to follow the general style of recent issues of *Monthly Notices*. They should attend particularly to:

- a* the provision of a summary of not more than 200 words;
- b* the division of a paper into sections and, if necessary, sub-sections;
- c* the annotation of the typescript so as to give the printer all possible guidance in setting the paper, with special reference to ambiguous and unusual symbols, sub- and superscripts, and the placing of diagrams and tables.

The preparation of extensive tabular, diagrammatic or photographic material should be discussed with the Editors at an early stage in the preparation of the paper, in order to determine the most appropriate form of its presentation. A title should be provided for each table and diagram.

Three copies of each paper should be submitted. One copy should be typewritten double-spaced on one side of the paper only, leaving a one-inch margin on the left-hand side. The other two copies should be in a *weight-reduced* form such as on flimsy paper, reduced to half size or copied on both sides of the page. The first page of the typescript should contain the full postal address of the author(s) to appear on the paper and the address to which proofs are to be sent if that is different.

**3 DIAGRAMS** should be drawn in black ink on tracing material or smooth white board, with a line weight and lettering suitable for reduction to fit the type area of *Monthly Notices*. Drawings for reduction to  $\frac{1}{3}$ ,  $\frac{1}{2}$  or  $\frac{7}{10}$  of their original size, require line weight and lettering of the following thicknesses and sizes respectively:

---

ABC abc

$\frac{1}{3}$

---

ABC abc

$\frac{1}{2}$

---

ABC abc

$\frac{7}{10}$

Reductions are linear, and authors are reminded that the space between parts of a diagram as well as lines and lettering, are reduced. Adequate allowance should be made for this to avoid the joining up, during blockmaking, of parts which are close together.

Two rough copies of diagrams should be provided for the use of the Editors and Referees.

**4 PHOTOGRAPHS** to be reproduced as half-tone plates are acceptable only if they are essential. Glossy unmounted prints should be submitted. Copies are required for the use of the Editors and Referees.

**5 ABBREVIATIONS** and references should preferably follow the practice set out in *I.A.U. Trans. XII* (c) or, if not available in that volume, the *World List of Scientific Periodicals*.

**6 PROOFS.** Authors are liable for the cost of alterations in excess of 50p per page. It is therefore in their own, as well as the Society's interest, to seek the maximum conciseness and simplification of symbols and equations consistent with clarity. Proofs should be returned within three days of receipt.

**7 SHORT COMMUNICATIONS.** These should merit *urgent* publication and should not, as a rule, exceed 1500 words. Such papers will normally be published between seven and ten weeks after acceptance. The Editors will themselves undertake responsibility for correcting proofs of such papers. Twenty-five offprints will be automatically supplied to the author(s) without charge; additional offprints may be obtained at prevailing rates, provided the order for extra copies is placed when the paper is submitted.

Papers in this category will be included as part of a routine issue of *Monthly Notices*; they will be printed on tinted paper and carry a special pagination which will enable them to be bound up together at the end of each volume.



# Monthly Notices

OF THE R.A.S. VOL. 178 NO. 3 MARCH 1977

## CONTENTS

- 501 *A. R. Masters, J. E. Pringle, A. C. Fabian and M. J. Rees*: Cyclotron emission from accreting magnetic white dwarfs
- 505 *Barry F. Madore*: The frequency of Cepheids with companions: a photoelectric approach
- 513 *M. G. Watson and R. E. Griffiths*: *Ariel V* Sky Survey Instrument: extended observations of 3U 0900-40
- 525 *W. M. Goss, K. J. Wellington, W. N. Christiansen, I. A. Lockhart, A. Watkinson, R. H. Frater and A. G. Little*: IC 4296: a double-double radio galaxy
- 533 *Robert A. Gingold*: Evolutionary models of metal-rich horizontal branch stars
- 539 *P. F. Scott and M. Ryle*: A rapid method for measuring the figure of a radio telescope reflector
- 547 *R. J. Cohen*: Neutral hydrogen in the galactic centre region - III. Absorption measurements
- 569 *Robert A. Gingold*: Helium shell flashes as a source of helium enrichment
- 577 *Geoffrey A. Cottrell*: 21-cm observations of the interacting galaxies M81 and M82
- 591 *G. E. Bromage and B. C. Fawcett*: The  $2p^4-2p^3\ 3d$  transition array of Fe xix and isoelectronic ions
- 599 *G. E. Bromage, B. C. Fawcett and R. D. Cowan*: Classification of  $2s^22p^n-2s^22p^{n-1}4d$  Fe xviii and Fe xix lines in laser-produced plasma and solar spectra
- 605 *G. E. Bromage and B. C. Fawcett*: The  $2p^2-2p\ 3d$  transition array of Fe xxi and isoelectronic spectra
- 611 *J. P. Pye, Kenton D. Evans and R. J. Hutcheon*: The coronal emission line spectrum 13.3 to 13.8 Å
- 619 *P. M. Williams, D. H. Beattie and J. M. Stewart*: Infrared photometry of R associations - I. Early-type stars in CMa R1 and Vel R2
- 625 *John D. Barrow*: The synthesis of light elements in turbulent cosmologies
- 651 *John Davis and R. R. Shobbrook*: On *uvby* indices and empirical effective temperatures and bolometric corrections for B stars
- 661 *Thomas G. Barnes, James F. Dominy, David S. Evans, Phillip W. Kelton, S. B. Parsons and Richard J. Stover*: The distances of cepheid variables
- 675 *J. A. Dawe, R. J. Dickens and B. A. Peterson*: Redshifts of galaxies in the cluster HMS 1247-4102 in Centaurus
- 687 *J. A. Cooke, D. Emerson, K. Nandy, V. C. Reddish and M. G. Smith*: Radial velocities of faint galaxies from objective prism plates
- 693 *G. Vettolani and G. Zamorani*: Distribution of supernovae, supernova remnants and exponential disks
- 701 *C. Moss and R. J. Dickens*: Redshifts of galaxies in the cluster Abell 262, and in the region of the Pisces group (centred on NGC 383)
- 717 *Mohan N. Joshi and Gopal-Krishna*: Lunar occultation observations of twelve 3C sources at 327 MHz
- 735 *A. Przybylski*: The effective temperature and electron pressure in the atmosphere of HD 101065
- 745 *Erratum*

### Short Communications

- 57P *J. C. Zarnecki and J. L. Culhane*: Detection of O viii line emission in the X-ray spectrum of Puppis A
- 63P *K. Nandy, V. C. Reddish, K. P. Tritton, J. A. Cooke and D. Emerson*: Low-dispersion objective prism spectra from the UK 1.2-m Schmidt telescope
- 67P *Jack A. Baldwin*: The  $\text{Ly}\alpha/\text{H}\beta$  intensity ratio in the spectra of QSOs
- 75P *R. J. Mitchell and J. L. Culhane*: Detection of iron line emission in the *Ariel V* X-ray spectrum of the Centaurus cluster of galaxies
- 81P *K. O. Mason*: Secular period changes in X-ray pulsators
- 87P *P. B. Jones*: Pulsar magnetic alignment: a classification of pulsars
- 93P *W. S. Pallister, H. G. Perkins, S. M. Scarrott, R. G. Bingham and J. D. H. Pilkington*: Optical polarization in the Orion Nebula

Annual subscription £120.00 (Overseas £140.00 U.S. \$295.00)

Printed in Dorking by Adlard & Son Ltd, Bartholomew Press, 1977